

- 1 - SOLIDAL® Cassette
- 2 - Staggered Aluminium Angles
- 3 - Sub-framing (Top Hat) by others
- 4 - Aluminium Flashing by others
- 5 - Backer Rod + Sealant by others
- 6 - Window Frame by others


copyright of SOLIDAL®

NOTE: For information purposes only
 SOLIDAL® Cassette is suitable for installation on existing and new structures.
 Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
 TYPICAL WINDOW DETAIL

SHEET: A3 **SCALE:** 1 : 2

SOLIDAL®
www.solidalmetal.com




- 1 - SOLIDAL® Cassette
- 2 - Staggered Aluminium Angles
- 3 - Sub-framing (Top Hat) by others
- 4 - Aluminium Flashing by others
- 5 - Backer Rod + Sealant by others
- 6 - Door Frame by others

copyright of SOLIDAL®

NOTE: For information purposes only
SOLIDAL® Cassette is suitable for installation on existing and new structures.
Use of proper Thermal insulation and Weather Barrier is advised.

TITLE:	SOLIDAL® Cassette TYPICAL DOOR JAMB DETAIL
SHEET:	A3
SCALE:	1 : 2





- 1 - SOLIDAL® Cassette
- 2 - Staggered Aluminium Angles
- 3 - Sub-framing (Top Hat) by others
- 4 - Aluminium Flashing by others
- 5 - Backer Rod + Sealant by others
- 6 - Louvre by others

copyright of SOLIDAL®

NOTE: For information purposes only
 SOLIDAL® Cassette is suitable for installation on existing and new structures.
 Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
 TYPICAL LOUVRE JAMB DETAIL

SHEET: A3 **SCALE:** 1 : 2

SOLIDAL®
www.solidalmetal.com

SOLIDAL® Cassette


2

3

4

5

6



- 1 - SOLIDAL® Cassette
- 2 - Aluminium Stiffener
- 3 - Main Structure
- 4 - Sarking
- 5 - Sub-framing (Top Hat)
- 6 - Aluminium Flashing by others

copyright of SOLIDAL®


NOTE: For information purposes only
SOLIDAL® Cassette is suitable for installation on existing and new structures.
Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
TYPICAL BASE WALL DETAIL

SHEET: A3 **SCALE:** 1 : 2

SOLIDAL®
www.solidalmetal.com

SOLIDAL® Cassette




- 1 - SOLIDAL® Cassette
- 2 - Aluminium Stiffener
- 3 - Main Structure
- 4 - Sarking
- 5 - Sub-framing (Top Hat)
- 6 - Aluminium Flashing by others
- 7 - Backer Rod and Sealant
- 8 - Window Frame by others

copyright of SOLIDAL®

NOTE: For information purposes only
SOLIDAL® Cassette is suitable for installation on existing and new structures.
Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
TYPICAL WINDOW SILL DETAIL

SHEET: A3 **SCALE:** 1 : 2



- 1 - SOLIDAL® Cassette
- 2 - Aluminium Stiffener
- 3 - Main Structure
- 4 - Sarking
- 5 - Sub-framing (Top Hat)
- 6 - Aluminium Flashing by others
- 7 - Backer Rod and Sealant
- 8 - Window Frame by others

copyright of SOLIDAL®

NOTE: For information purposes only
SOLIDAL® Cassette is suitable for installation on existing and new structures.
Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
TYPICAL WINDOW HEAD DETAIL

SHEET: A3 **SCALE:** 1 : 2

SOLIDAL® Cassette

- 1 - SOLIDAL® Cassette
- 2 - Aluminium Stiffener
- 3 - Main Structure
- 4 - Sarking
- 5 - Sub-framing (Top Hat)
- 6 - Aluminium Flashing by others
- 7 - Aluminium Angle fixed in place

5

4

3

2

7

6


copyright of SOLIDAL®

NOTE: For information purposes only
SOLIDAL® Cassette is suitable for installation on existing and new structures.
Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
TYPICAL BASE WALL DETAIL

SHEET: A3 **SCALE:** 1 : 2

SOLIDAL®
www.solidalmetal.com



- 1 - SOLIDAL® Cassette
- 2 - Staggered Aluminium Angles
- 3 - Stiffener for cassettes longer/wider than 600mm
- 4 - Sub-framing (Top Hat)
- 5 - Sarking
- 6 - Main Structure


copyright of SOLIDAL®

NOTE: For information purposes only
 SOLIDAL® Cassette is suitable for installation on existing and new structures.
 Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
 VERTICAL JOINT

SHEET: A3 **SCALE:** 1 : 2





- 1 - SOLIDAL® Cassette
- 2 - Aluminium Angle
- 3 - Aluminium Stiffener for Cassettes longer/wider than 600mm
- 4 - Sub-framing (Top Hat)
- 5 - Main Structure
- 6 - Box Gutter

copyright of SOLIDAL®

NOTE: For information purposes only
SOLIDAL® Cassette is suitable for installation on existing and new structures.
Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette
PARAPET CAPPING / SOFFIT DETAIL

SHEET: A3

SCALE: 1 : 2

SOLIDAL®
www.solidalmetal.com

SOLIDAL® Cassette

2

3

4

5

6

7

8

- 1 - SOLIDAL® Cassette
- 2 - Aluminium Stiffener for Cassettes longer/wider than 600mm
- 3 - Main Structure
- 4 - Sarking
- 5 - Sub-framing (Top Hat) by others
- 6 - Aluminium Flashing by others
- 7 - Backer Rod and Sealant by others
- 8 - Door Frame by others

copyright of SOLIDAL®

NOTE: For information purposes only
SOLIDAL® Cassette is suitable for installation on existing and new structures.
Use of proper Thermal insulation and Weather Barrier is advised.

TITLE: SOLIDAL® Cassette DOOR HEAD DETAIL	
SHEET: A3	SCALE: 1 : 2