

SOLIDAL[®]

Interpon[®]
POWDER COATINGS

Wall Cladding & Soffits Collection



AkzoNobel 

Interpon D3020
30
years
Platinum Global Warranty

Interpon D2525
25
years
Gold Global Warranty



AkzoNobel® Powder Coatings

Colours with Design in Mind

The Interpon Commercial Collection has been developed with design in mind, as the world’s largest coatings company, no other company has more experience in colour and finish trends than AkzoNobel. Applied to SOLIDAL® architectural solid aluminium pre-fabricated cladding and soffit materials opens up endless design opportunities. The collection offers a broad taste of design, colour and finish options available to architects and specifiers for the decoration and protection of architectural cladding and soffit applications.

Interpon Powder Coatings also has the longest Track Record in Super durable Technology globally.

What to specify

PROJECT TYPE	Environment	SOLIDAL® + D3020* powder coating	SOLIDAL® + D2525* powder coating
Monumental	Coastal / Marine / Severe / Tropical	•	
	Standard	•	
Commercial	Coastal / Marine / Severe / Tropical	•	•
	Standard	•	•
Multi-Density Residential	Coastal / Marine / Severe / Tropical	•	•
	Standard	•	•
Domestic Residential	Coastal / Marine / Severe / Tropical	•	•
	Standard	•	•

COLOUR NAME	Technology	CODE	Finish	R	G	B	LRV	AAMA	STOCK
Anodic Natural	D2525	YY223A	Matt	175	180	175	41%	2603 x 2604	S
Anodic Slate Grey	D2525	YY218A	Matt	137	136	135	23%	2603 x 2604	O
Appliance White	D2525	YA196A	Satin	238	243	240	91%	2603 x 2604	S
Asteroid Pearl	D2525	YY270A	Matt	91	92	84	11%	2603 x 2604	S
Black	D2525	YN167A	Satin	44	50	49	5%	2603 x 2604	S
Black Ink	D2525	YN218A	Flat Matt	48	53	51	4%	2603 x 2604	S
Bleu Sable™	D2525	YW353F	Texture	54	73	84	8%	2603 x 2604	O
Bondi Blue	D2525	YJ046A	Gloss	48	131	193	20%	2603 x 2604	S
Brilliance	D2525	YY237A	Flat Matt	103	99	88	15%	2603 x 2604	S
Brillant Yellow	D2525	YE087A	Gloss	245	223	61	66%	2603 x 2604	S
Bronze Pearl	D2525	YY225A	Matt	77	71	56	8%	2603 x 2604	S
Champagne Pearl	D2525	YY276A	Matt	178	180	172	41%	2603 x 2604	S
Champagne Riche	D2525	YW277G	Matt	189	184	167	44%	2603 x 2604	O
Champagne Shimmer	D2525	YY24NA	Flat Matt	135	127	114	25%	2603 x 2604	S
Charcoal	D2525	YP116A	Satin	62	70	73	8%	2603 x 2604	S
Charcoal	D2525	YL238A	Matt	60	67	69	6%	2603 x 2604	S
Charcoal Pearl	D2525	YY223A	Matt	63	65	62	6%	2603 x 2604	S
Citi Pearl	D2525	YY245A	Matt	180	184	180	43%	2603 x 2604	S
Copper Penny	D2525	YY22AA	Matt	143	98	68	18%	2603 x 2604	O
Dark Bronze	D2525	YY20BA	Flat Matt	67	65	56	6%	2603 x 2604	S
Dark Grey	D2525	YP278A	Matt	67	73	75	8%	2603 x 2604	S
Driftwood	D2525	YL258A	Matt	208	213	210	58%	2603 x 2604	S
Ebony	D2525	YN201A	Matt	49	54	51	4%	2603 x 2604	S
Endura Bronze	D2525	YY248A	Matt	93	93	88	13%	2603 x 2604	S

Interpon Futura D2525 Superdurable Performance for all architectural projects

Interpon Futura D2525 meets the needs of the most demanding SOLIDAL® cladding and soffit projects. Ideal for both exterior and interior SOLIDAL® applications. Providing super durable protection from the elements the range exceeds global weathering standard AAMA2604, guaranteeing excellent colour retention and high resistance to chalking. Exceptional endurance to environmental stressors including high levels of UV radiation, humidity, heavy pollutants and extreme temperatures are achieved through super durable polymer technology engineered to withstand the weathering extremes of Australia and New Zealand. SOLIDAL® Interpon is guaranteed up to 25 Years Gold Global Warranty*.

Interpon Flat Matt

Our unique, Interpon Flat Matt is a designers dream when applied to SOLIDAL® wall cladding. Non-reflective surfaces open up new possibilities in aesthetics and the interaction of light with surfaces, brings the SOLIDAL® materials to life. Using ground breaking technology, the Flat Matt range offers amazing durability in the harshest of environments.

Interpon D3020 Fluromax

When unparalleled premium performance is a must for your project, SOLIDAL® pre-finished Interpon D3020 Fluromax based on Fluorocarbon technology is the product of choice. Meeting AAMA2605 specification, the D3020 applied to SOLIDAL® offers premium colour and gloss retention with superior weathering performance. A viable cost effective and environmentally conscious alternative to liquid fluorocarbon paints can be achieved without performance compromise.

COLOUR NAME	Technology	CODE	Finish	R	G	B	LRV	AAMA	STOCK
Eternal Silver	D2525	YW100C	Satin	149	154	161	30%	2603 x 2604	S
Golden Touch Pearl	D2525	YY258A	Flat Matt	133	119	92	22%	2603 x 2604	S
Gondar	D2525	YW106I	Satin	178	139	66	32%	2603 x 2604	O
Grey	D2525	YP174A	Satin	111	118	119	21%	2603 x 2604	S
Gris Sable™	D2525	YW356F	Texture	159	155	142	36%	2603 x 2604	O
Jaybird	D2525	YN218A	Satin	27	97	147	11%	2603 x 2604	S
Linen	D2525	YY28PA	Flat Matt	222	224	218	73%	2603 x 2604	S
Lobster	D2525	YG154A	Satin	165	56	45	12%	2603 x 2604	S
Lunar Grey	D2525	YP273A	Matt	194	200	197	60%	2603 x 2604	S
Luxe Bronze Pearl	D2525	YY255A	Matt	173	164	144	36%	2603 x 2604	S
Lyra Strip	D2525	YK063A	Gloss	200	217	84	53%	2603 x 2604	S
Medium Bronze Pearl	D2525	YY23NA	Flat Matt	87	80	66	11%	2603 x 2604	O
Monument™	D2525	YP229A	Flat Matt	55	59	57	6%	2603 x 2604	S
Monument™ MKII	D2525	YP182A	Satin	68	73	72	9%	2603 x 2604	S
Monument™	D2525	YL264A	Matt	62	59	56	8%	2603 x 2604	S
Natural Shimmer	D2525	YY25AA	Flat Matt	186	190	189	46%	2603 x 2604	S
Nobel Silver Pearl	D2525	YX136A	Satin	149	149	147	31%	2603 x 2604	S
Oia Silky	D2525	YL316I	Texture	164	160	154	39%	2603 x 2604	O
Ordos Sable™	D2525	YW387I	Texture	124	89	65	15%	2603 x 2604	O
Pacific Blue	D2525	YY238A	Flat Matt	112	129	133	20%	2603 x 2604	O
Pearl White	D2525	YA075A	Gloss	236	243	244	91%	2603 x 2604	S
Pearl White	D2525	YA278A	Matt	249	255	255	89%	2603 x 2604	S
Pewter Pearl	D2525	YY124A	Satin	128	135	136	27%	2603 x 2604	S
Pure Gold	D2525	YY22BA	Flat Matt	169	141	95	27%	2603 x 2604	S

SOLIDAL® T3® & SOLIDAL® T4®

Joint collaboration between Watermark International & Akznobel has helped create the most advanced and robust architectural wall cladding and soffit product available, SOLIDAL® T3® & T4® Interpon®. Specifically formulated pre-finished solid aluminium for building facades in ventilated and non-ventilated construction. SOLIDAL® T3® (3mm) and SOLIDAL® T4® (4mm) is coated with the most advanced coating technology on the market, the Akzonobel Interpon® Range.

- Certified non-combustible according to **NATA AS1530.1**
- Excellent weather resistant finishes
- Perfect flatness, low stress
- Wide span, high strength
- Low maintenance
- Ideal for new and recladding

	SOLIDAL® + D3020* powder coating	SOLIDAL® + D2525* powder coating
AS3715	•	•
AAMA 2603	•	•
AAMA 2604	•	•
AAMA 2605	•	-
Building Code of Australia	All BCA Classes Any Building, any height. All Locations	All BCA Classes Any Building, any height. All Locations
Coating Technology	Hyper Durability Fluoropolymer	Super Durable Polyester
Film integrity warranty	30 years	25 years
Colour retention warranty	20 years	15 years

COLOUR NAME	Technology	CODE	Finish	R	G	B	LRV	AAMA	STOCK
Rio	D2525	Y2001I	Satin	113	64	63	10%	2603 x 2604	O
Sable™ Asteroid	D2525	YY371A	Texture	86	87	80	10%	2603 x 2604	O
Sable™ Bass	D2525	YY397A	Texture	70	77	74	8%	2603 x 2604	S
Sable™ Brilliance	D2525	YY377A	Texture	98	102	99	15%	2603 x 2604	S
Sable™ Cor Ten™	D2525	YX350A	Texture	87	68	55	7%	2603 x 2604	S
Sable™ Silver	D2525	YY301A	Texture	170	177	172	39%	2603 x 2604	O
Sable™ Medium Bronze	D2525	YY366A	Texture	84	80	64	9%	2603 x 2604	S
Scintillating Champagne	D2525	YW26FC	Matt	145	138	126	29%	2603 x 2604	S
Sensation	D2525	YF049A	Gloss	222	106	49	75%	2603 x 2604	S
Shamrock Green	D2525	YK043A	Gloss	71	110	64	13%	2603 x 2604	S
Silver Pearl	D2525	YY230A	Matt	177	182	178	42%	2603 x 2604	S
Silver Riche	D2525	YW209G	Matt	171	178	176	40%	2603 x 2604	O
Sunstone Bronze	D2525	YY218A	Flat Matt	122	115	99	17%	2603 x 2604	S
Surfmist®	D2525	YA236A	Matt	214	218	212	71%	2603 x 2604	S
Timberland	D2525	YP175A	Satin	86	89	84	12%	2603 x 2604	S
Timberland	D2525	YP275A	Matt	86	89	83	12%	2603 x 2604	S
Titanium Pearl	D2525	YY163A	Satin	94	99	97	15%	2603 x 2604	S
Titanium Pearl	D2525	YY263A	Matt	97	101	96	13%	2603 x 2604	S
Vintage Silver	D2525	YY22NA	Flat Matt	105	109	110	18%	2603 x 2604	S
Viper Green	D2525	YK051A	Gloss	104	160	72	27%	2603 x 2604	S
White	D2525	YA25BA	Flat Matt	229	236	236	86%	2603 x 2604	S

SOLIDAL® Panel Sizes

	SOLIDAL® T3®	SOLIDAL® T4®
Panel Thickness (mm)	3mm	4mm
Available width (mm)	1240mm, 1500mm, 2000mm	1240mm, 1500mm, 2000mm
Length (mm)	up to 7000mm	up to 7000mm

How to specify SOLIDAL® Interpon Powdercoating

We make specifying SOLIDAL® Interpon powder coated cladding materials,easy and simple. Once you have chosen your range of SOLIDAL® Interpon Powder Coated finishes, it is important to specify the correct product for your project.

Nominate your preferred substrate SOLIDAL® Thickness:

- SOLIDAL® T3® (3mm) NATA Certified Non-combustible
- SOLIDAL® T4® (4mm) NATA Certified Non-combustible

Nominate your preferred Interpon product:

- Interpon D2015
- Interpon D3020
- Interpon Futura D2525

Nominate your preferred SOLIDAL® fixing method:














- Prefabricated Cassette
- Tongue and Groove extrusion system (Smartfix®)
- Captive extrusion system (Smartfix®)
- Face Fixed Riveted or Screwed
- Curtain Wall
- Ventilated System

COLOUR NAME	Technology	CODE	Finish	R	G	B	LRV	AAMA	STOCK
Asteroid Pearl	D3020	8Y270A	Matt	91	92	84	11%	2604 x 2605	O
Beachouse Yellow	D3020	8E219A	Matt	242	193	55	52%	2604 x 2605	O
Bronze Pearl	D3020	8Y225A	Matt	86	77	57	8%	2604 x 2605	O
Champagne Pearl	D3020	8Y276A	Matt	178	180	172	41%	2604 x 2605	O
Christal Mint Pearl	D3020	8Y223A	Matt	74	165	144	28%	2604 x 2605	O
Dark Bronze	D3020	8Y224A	Matt	82	76	64	8%	2604 x 2605	O
Desert Dream	D3020	8M201A	Matt	198	144	90	31%	2604 x 2605	O
Gold Pearl	D3020	8Y221A	Matt	171	174	95	28%	2604 x 2605	O
Hardy Reef	D3020	8J215A	Matt	59	122	171	17%	2604 x 2605	O
Honey Myrtle	D3020	8E207A	Matt	234	213	144	60%	2604 x 2605	O
Hyper Black	D3020	8N209A	Matt	43	48	47	4%	2604 x 2605	O
Hyper Charcoal	D3020	8L210A	Matt	66	74	75	8%	2604 x 2605	O
Hyper Coin	D3020	8Y211A	Matt	179	188	189	45%	2604 x 2605	O
Hyper White	D3020	8A210A	Matt	251	255	252	87%	2604 x 2605	O
Monument	D3020	8L244A	Matt	62	59	56	8%	2604 x 2605	O
Outback Red	D3020	8G212A	Matt	136	71	60	11%	2604 x 2605	O
Red Bush Apple	D3020	8M214A	Matt	99	64	55	8%	2604 x 2605	O
Rojo Rock	D3020	8M213A	Matt	142	87	61	14%	2604 x 2605	O
Sand Stone	D3020	8A237A	Matt	230	234	234	71%	2604 x 2605	O
Sea Storm	D3020	8L216A	Matt	72	84	79	9%	2604 x 2605	O
Simpson Clay	D3020	8G200A	Matt	225	169	140	43%	2604 x 2605	O
Titanium Pearl	D3020	8Y263A	Matt	97	101	96	13%	2604 x 2605	O

* Colorbond® and the Colorbond color names are registered trademarks of Bluescope Steel Limited
* S - Stock Product, O - Made to Order Product


Commercial Collection

Interpon Futura D2525


										
Pearl White Matt YA278A RGB 249, 255, 255 LRV 89%	Pearl White Gloss YA075A RGB 236, 243, 244 LRV 91%	Appliance White Satin YA196A RGB 238, 243, 240 LRV 91%	Surfmist® Matt YA236A RGB 214, 218, 212 LRV 71%	Lunar Grey Matt YP273A RGB 194, 200, 197 LRV 60%		Charcoal Satin YL264A RGB 62, 70, 73 LRV 8%	Dark Grey Matt YP278A RGB 67, 73, 75 LRV 8%	Ebony Matt YN201A RGB 49, 54, 51 LRV 4%	Black Satin YN167A RGB 44, 50, 49 LRV 5%	Charcoal Pearl Matt YY237A RGB 63, 65, 62 LRV 6%
										
Oia Silky Matt YL316I RGB 164, 160, 154 LRV 39%	Driftwood Matt YL258A RGB 208, 213, 210 LRV 58%	Silver Pearl Matt YY230A RGB 177, 182, 178 LRV 42%	Anodic Natural Matt YY223A RGB 175, 180, 175 LRV 41%	Sable™ Silver Texture YY301A RGB 170, 177, 172 LRV 39%		Endura Pearl Matt YY248A RGB 93, 93, 88 LRV 13%	Asteroïd Pearl Matt YY270A RGB 91, 92, 84 LRV 11%	Sablé Asteroid Texture YY371A RGB 86, 87, 80 LRV 10%	Sablé Bass Texture YY397A RGB 70, 77, 74 LRV 8%	Bronze Pearl Matt YY225A RGB 77, 71, 56 LRV 8%
										
Citi Pearl Matt YY245A RGB 180, 184, 180 LRV 43%	Champagne Riche Matt YW277G RGB 189, 184, 167 LRV 44%	Gris Sable™ Texture YW356F RGB 159, 155, 142 LRV 36%	Luxe Bronze Pearl Matt YY255A RGB 173, 164, 144 LRV 36%	Scintillating Champagne Matt YW26FC RGB 154, 138, 126 LRV 29%		Sablé Medium Bronze TEXTURE YY366A RGB 84, 80, 64 LRV 9%	Sablé Core Ten™ Texture YX350A RGB 87, 68, 55 LRV 7%	Rio Satin Y2001I RGB 113, 64, 63 LRV 10%	Bleu Sablé™ Texture YW353F RGB 54, 73, 84 LRV 8%	Gondar Satin YW106I RGB 178, 139, 66 LRV 32%
										
Champagne Pearl Matt YY276A RGB 178, 180,172 LRV 41%	Nobel Silver Pearl Satin YX136A RGB 149, 149, 147 LRV 31%	Silver Riche Matt YW209G RGB 171, 178, 176 LRV 40%	Pewter Pearl Satin YY124A RGB 128, 135, 136 LRV 27%	Eternal Silver Satin YW100C RGB 149, 154, 161 LRV 30%		Ordos Sablé™ Texture YW387I RGB 124, 89, 65 LRV 15%	Copper Penny Matt YY22AA RGB 143, 98, 68 LRV 18%			
										
Anodic Slate Grey Matt YY271A RGB 137, 136,135 LRV 23%	Sable™ Brilliance Texture YY377A RGB 98, 102, 99 LRV 15%	Grey Satin YP174A RGB 111, 118, 119 LRV 21%	Timberland Matt YP275A RGB 86, 89, 83 LRV 12%	Timberland Satin YP175A RGB 86, 89, 84 LRV 12%				Brilliant Yellow Gloss YE087A RGB 245, 223, 61 LRV 66%	Lycra Strip Gloss YK063A RGB 200, 217, 84 LRV 53%	Viper Green Gloss YK051A RGB 104, 160, 72 LRV 27%
										
Monument® MATT YL264A RGB 62, 59, 56 LRV 8%	Monument® MKII Satin YP182A RGB 68, 73, 72 LRV 9%	Titanium Pearl Satin YY163A RGB 94, 99, 97 LRV 15%	Titanium Pearl MATT YY263A RGB 97, 101, 96 LRV 13%	Charcoal Matt YL238A RGB 60, 67, 69 LRV 6%		Shamrock Gloss YK043A RGB 71, 110, 64 LRV 13%	Sensation Gloss YF049A RGB 222, 106, 49 LRV 75%	Lobster Satin YG154A RGB 165, 56, 45 LRV 12%	Bondi Blue Gloss YJ046A RGB 48, 131, 193 LRV 20%	Jaybird Satin YJ175A RGB 27, 97, 147 LRV 11%

Interpon Colour Vitality


Interpon Flat Matt




White
Flat Matt YA25BA
RGB 229, 236, 236 LRV 86%



Linen
Flat Matt YY28PA
RGB 222, 224, 218 LRV 73%



Natural Shimmer
Flat Matt YY25AA
RGB 186, 190, 189 LRV 46%



Champagne Shimmer
Flat Matt YY24NA
RGB 135, 127, 114 LRV 25%




Sunstone Bronze
Flat Matt YY21BA
RGB 122, 115, 99 LRV 17%




Pure Gold
Flat Matt YY22BA
RGB 169, 141, 95 LRV 27%



Golden Touch Pearl
Flat Matt YY23BA
RGB 133, 119, 92 LRV 22%



Brilliance
Flat Matt YY23TA
RGB 103, 99, 88 LRV 15%



Medium Bronze Pearl
Flat Matt YY23NA
RGB 87, 80, 66 LRV 11%




Dark Bronze
Flat Matt YY20BA
RGB 67, 65, 56 LRV 6%



Monument®
Flat Matt YP229A
RGB 55, 59, 57 LRV 6%



Pacific Blue
Flat Matt YY23BA
RGB 112, 129, 133 LRV 20%



Vintage Silver
Flat Matt Y22NA
RGB 105, 109, 110 LRV 18%



Black Ink
Flat Matt YN21BA
RGB 48, 53, 51 LRV 4%

SOLIDAL® Physical Properties

MECHANICAL PROPERTIES	* 3000 Series SOLIDAL®	** 5000 Series SOLIDAL®
Brinell Hardness	45	67
Elastic Modulus	70GPa	68GPa 9.9 x 106 psi
Elongation at Break	6.0%	8.0%
Fatigue Strength	68 MPa	110 MPa 15 x 103 psi
Poisson's Ratio	0.33	0.33
Shear Modulus	26 GPa	26 GPa 3.7 x 106 psi
Shear Strength	93 MPa	150 MPa 22 x 103 psi
Tensile Strength: Ultimate	160 MPa	250 MPa 37 x 103 psi
Tensile Strength: Yield (Proof)	125 MPa	190 MPa 28 x 103 psi

THERMAL PROPERTIES

Melting Onset (Solidus)	640 °C 1120 °F	610 °C 1120 °F
Specific Heat Capacity	900 J/kg-K 0.22 BTU/lb-°F	900 J/kg-K 0.22 BTU/lb-°F
Thermal Conductivity	180 W/m-K 100 BTU/h-ft-°F	140 W/m-K 80 BTU/h-ft-°F
Thermal Expansion	23µm/m-K	24µm/m-K

ELECTRICAL PROPERTIES


Electrical Conductivity: Equal Volume	44% IACS	35% IACS
Electrical Conductivity: Equal Weight (Specific)	140%	120%

* 3000 Series SOLIDAL® is ideal for Powder coating
Visit www.solidalmetal.com or contact us for more information

Interpon D3020



Hyper White
Matt 8A210A
RGB 251, 255, 252 LRV 87%



Sandstone
Matt 8A237A
RGB 230, 234, 234 LRV 71%




Honey Myrtle
Matt 8E207A
RGB 234, 213, 144 LRV 60%



Desert Dream
Matt 8M201A
RGB 198, 144, 90 LRV 31%



Gold Pearl
Matt 8Y221A
RGB 171, 174, 95 LRV 28%




Hyper Coin
Matt 8Y211A
RGB 179, 188, 189 LRV 45%



Champagne Pearl
Matt 8Y276A
RGB 178, 180, 172 LRV 41%




Simpson Clay
Matt 8G200A
RGB 225, 169, 140 LRV 43%



Rojo Rock
Matt YY397A
RGB 142, 87, 61 LRV 14%



Outback Red
Matt 8G212A
RGB 136, 71, 60 LRV 11%




Titanium Pearl
Matt 8Y263A
RGB 97, 101, 96 LRV 13%




Asteroid Pearl
Matt 8Y270A
RGB 91, 92, 84 LRV 11%



Dark Bronze
Matt 8Y224A
RGB 82,76, 64 LRV 8%



Bronze Pearl
Matt 8Y225A
RGB 86, 77, 57 LRV 8%




Red Bush Apple
Matt 8M214A
RGB 99, 64, 55 LRV 8%



Sea Storm
Matt 8L216A
RGB 72, 84, 79 LRV 9%



Monument
Matt 8L244A
RGB 62, 59, 56 LRV 8%



Hyper Charcoal
Matt 8L210A
RGB 66, 74, 75 LRV 8%



Hyper Black
Matt 8N209A
RGB 43, 48, 47 LRV 4%



Hardy Reef
Matt 8J215A
RGB 59, 122, 171 LRV 17%



Ceystal Mint Pearl
Matt 8Y223A
RGB 74, 165,144 LRV 28%



Beachouse Yellow
Matt 8E219A
RGB 242, 193, 55 LRV 52%

Global Warranty

Standards	UV Resistance	Corrosion	Coating Performance Warranty	Coating Colour retention	Most Suitable SOLIDAL® Interpon Product
AAMA 2604	5 year Florida	3000 hours	25 years	15 years	D2525*
AAMA 2605	10 year Florida	4000 hours	30 years	20 years	D3020*

SOLIDAL® AkzoNobel is the world's largest manufacturer and supplier of ultra-performance globally warranted architectural grade powder coatings - Interpon. For piece of mind, some fabricators choose Interpon powder coating's global network of accredited applicators to attain the Interpon global performance warranties specific to their project. It should be noted that the warranties are applicable to the country where the components were prepared and applied and warranty information should be sought through this channel. Should you require further assistance on the warranty - please seek information from SOIDAL® or AkzoNobel office in the country of application or contact your local SOLIDAL® Interpon powder coatings representative for advice. *D3020 could be suitable in locations <10m from the high tide line (SOLIDAL® Interpon Specifications Representative) and is not suitable in stron acidic environments so pH must be >5. *D2525 is only suitable for coastal environments >10m from the high tide and is not suitable in strong acidic environments so pH must be >5. *When applied by and Interpon Accredited Approved Applicator



SOLIDAL®

HEAD OFFICE
9A Davis Road
Wetherill Park, Sydney
NSW 2164, Australia

www.solidalmetal.com
E: info@solidalmetal.com
T: +61 414885530

PO Box 152
Darlinghurst, Sydney
NSW 2010, Australia

Interpon®
POWDER COATINGS

Colours displayed on this colour card are a guide only and have been matched as close as possible to Interpon product standards under daylight conditions. Due to the nature of the printing process some degree of colour and gloss level variation may occur. Where more than one finish is available product colour may vary. We recommend that you use the SOLIDAL® production line prepared samples for final colour selection or approval. Stocked Products (S) and Made to Order Products are current as at colour card printing. Stocking Policy may change over time, and without notice. please check with your SOLIDAL® Interpon Representative to ensure you have the latest product stock information.

* Colorbond® and the Colorbond color names are registered trademarks of Bluescope Steel Limited